

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Total PCBs Concentration (ug/m <sup>3</sup> )	Exceeds Target	Exceeds EPA	Comments
Target Air Quality Levels									0.12	Air Quality	Site Specific	
EPA Site Specific Trigger Levels									12	Levels	Trigger Levels	
PCBS-ST1-8/8/07	AK09143	Southwest Area (sidewalk bridge level)	8/8/07	7.05	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/10/07	< 0.0993	No	No	
PCBS-ST10-8/8/07	AK09146	North Side Sidewalk Bridge	8/8/07	7.09	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/10/07	< 0.0987	No	No	
PCBS-ST100-8/8/07	AK09153	Station 10 Field Duplicate	8/8/07	7.04	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/10/07	< 0.0994	No	No	
PCBS-ST2-8/16/07	AK09711	Southeast Area (sidewalk bridge level)	8/16/07	6.9	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/18/07	< 0.101	No	No	
PCBS-ST5-8/18/07	AK09728	Firehouse #10 (roof level)	8/18/07	3.71	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	< 0.0377	No	No	From 23:30 8/18/07 through 12:00 8/19/07
PCBS-ST10-8/18/07	AK09729	North Side Sidewalk Bridge	8/18/07	3.39	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	< 0.0413	No	No	From 00:00 8/19/07 through 11:30 8/19/07
PCBS-ST12-8/18/07	AK09730	110 Greenwich Street (roof level)	8/18/07	3.74	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	< 0.0374	No	No	From 23:30 8/18/07 through 11:45 8/19/07
PCBS-ST13-8/18/07	AK09731	Marriott Hotel, 38th Floor (roof level)	8/18/07	3.74	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	< 0.0374	No	No	From 23:00 8/18/07 through 11:45 8/19/07
PCBS-ST1-8/19/07	AK10731	Southwest Area (sidewalk bridge level)	8/19/07	68.76	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/29/07	0.00400 J	No	No	Result represents conditions from 8/19/07 through 8/28/07, Note 1
PCBS-ST2-8/19/07	AK10732	Southeast Area (sidewalk bridge level)	8/19/07	54.9	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/29/07	0.00645 J	No	No	Result represents conditions from 8/19/07 through 8/28/07, Notes 1 and 5
PCBS-ST4-8/19/07	AK09732	Northwest Area (street-level)	8/19/07	8.95	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	0.00962 J	No	No	From 00:45 8/19/07 through 08:30 8/20/07, Note 1
PCBS-ST10-8/19/07	AK09733	North Side Sidewalk Bridge	8/19/07	5.32	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	0.00422 J	No	No	From 14:45 8/19/07 through 09:20 8/20/07, Note 1
PCBS-ST100-8/19/07	AK09735	Station 10 Field Duplicate	8/19/07	5.68	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	0.00416 J	No	No	From 14:45 8/19/07 through 09:20 8/20/07, Note 1
PCBS-ST11-8/19/07	AK09734	90 Trinity Place (roof level)	8/19/07	7.41	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/21/07	0.00518 J	No	No	From 07:00 8/19/07 through 08:30 8/20/07, Note 1
PCBS-ST5-8/20/07	AK09874	Firehouse #10 (roof level)	8/20/07	6.78	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.103	No	No	
PCBS-ST10-8/20/07	AK09875	North Side Sidewalk Bridge	8/20/07	6.89	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.102	No	No	
PCBS-ST100-8/20/07	AK09879	Station 10 Field Duplicate	8/20/07	6.93	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.101	No	No	
PCBS-ST11-8/20/07	AK09876	90 Trinity Place (roof level)	8/20/07	6.87	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.102	No	No	
PCBS-ST12-8/20/07	AK09877	110 Greenwich Street (roof level)	8/20/07	6.74	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.104	No	No	
PCBS-ST13-8/20/07	AK09878	Marriott Hotel, 38th Floor (roof level)	8/20/07	6.89	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/22/07	< 0.102	No	No	
PCBS-ST5-8/21/07	AK09940	Firehouse #10 (roof level)	8/21/07	7.13	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.0982	No	No	
PCBS-ST10-8/21/07	AK09941	North Side Sidewalk Bridge	8/21/07	6.38	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.110	No	No	
PCBS-ST100-8/21/07	AK09945	Station 10 Field Duplicate	8/21/07	7.08	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.0989	No	No	
PCBS-ST11-8/21/07	AK09942	90 Trinity Place (roof level)	8/21/07	6.88	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.102	No	No	
PCBS-ST12-8/21/07	AK09943	110 Greenwich Street (roof level)	8/21/07	7.67	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.0913	No	No	
PCBS-ST13-8/21/07	AK09944	Marriott Hotel, 38th Floor (roof level)	8/21/07	7.11	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/23/07	< 0.0985	No	No	
PCBS-ST5-8/22/07	AK10053	Firehouse #10 (roof level)	8/22/07	7.23	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/24/07	< 0.0968	No	No	
PCBS-ST10-8/22/07	AK10054	North Side Sidewalk Bridge	8/22/07	6.69	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/24/07	< 0.105	No	No	
PCBS-ST11-8/22/07	AK10055	90 Trinity Place (roof level)	8/22/07	7.23	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/24/07	< 0.0968	No	No	
PCBS-ST12-8/22/07	AK10056	110 Greenwich Street (roof level)	8/22/07	6.41	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/24/07	< 0.109	No	No	
PCBS-ST13-8/22/07	AK10057	Marriott Hotel, 38th Floor (roof level)	8/22/07	7.11	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/24/07	< 0.0985	No	No	
PCBS-ST4-8/23/07	AK10222	Northwest Area (street-level)	8/23/07	6.96	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.101	No	No	
PCBS-ST5-8/23/07	AK10223	Firehouse #10 (roof level)	8/23/07	7.36	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.0951	No	No	
PCBS-ST10-8/23/07	AK10224	North Side Sidewalk Bridge	8/23/07	6.76	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.104	No	No	
PCBS-ST11-8/23/07	AK10225	90 Trinity Place (roof level)	8/23/07	7.11	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.0985	No	No	
PCBS-ST12-8/23/07	AK10226	110 Greenwich Street (roof level)	8/23/07	7.03	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.0996	No	No	
PCBS-ST13-8/23/07	AK10227	Marriott Hotel, 38th Floor (roof level)	8/23/07	6.88	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/25/07	< 0.102	No	No	
PCBS-ST14-8/27/07	AK10738	West Face - South end at corner (scaffolding level)	8/27/07	7.21	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/29/07	0.0252 J	No	No	Note 1
PCBS-ST15-8/27/07	AK10773	South Face - East end at corner (scaffolding level)	8/27/07	7.07	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/30/07	< 0.0990	No	No	
PCBS-ST16-8/27/07	AK10739	East Face - North end at corner (scaffolding level)	8/27/07	6.81	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/29/07	< 0.103	No	No	
PCBS-ST17-8/27/07	AK10740	North Face - West end at corner (scaffolding level)	8/27/07	7.12	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/29/07	< 0.0983	No	No	
PCBS-ST14-8/28/07	AK10769	West Face - South end at corner (scaffolding level)	8/28/07	7.20	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/30/07	0.0209 J	No	No	Note 1
PCBS-ST16-8/28/07	AK10770	East Face - North end at corner (scaffolding level)	8/28/07	7.21	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/30/07	0.0225 J	No	No	Note 1
PCBS-ST17-8/28/07	AK10771	North Face - West end at corner (scaffolding level)	8/28/07	6.19	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/30/07	0.0761 J	No	No	Note 1
PCBS-ST1-8/29/07	AK10847	Southwest Area (sidewalk bridge level)	8/29/07	7.04	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0994	No	No	
PCBS-ST2-8/29/07	AK10848	Southeast Area (sidewalk bridge level)	8/29/07	7.36	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0951	No	No	
PCBS-ST4-8/29/07	AK10849	Northwest Area (street-level)	8/29/07	7.05	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0993	No	No	
PCBS-ST5-8/29/07	AK10850	Firehouse #10 (roof level)	8/29/07	7.72	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0907	No	No	
PCBS-ST10-8/29/07	AK10851	North Side Sidewalk Bridge	8/29/07	6.92	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.101	No	No	
PCBS-ST11-8/29/07	AK10852	90 Trinity Place (roof level)	8/29/07	7.18	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0975	No	No	
PCBS-ST12-8/29/07	AK10853	110 Greenwich Street (roof level)	8/29/07	7.19	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0974	No	No	
PCBS-ST13-8/29/07	AK10854	Marriott Hotel, 38th Floor (roof level)	8/29/07	6.94	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.101	No	No	
PCBS-ST14-8/29/07	AK10855	West Face - South end at corner (scaffolding level)	8/29/07	7.11	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0985	No	No	
PCBS-ST15-8/29/07	AK10856	South Face - East end at corner (scaffolding level)	8/29/07	7.13	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	< 0.0982	No	No	
PCBS-ST16-8/29/07	AK10857	East Face - North end at corner (scaffolding level)	8/29/07	7.04	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	0.0321 J	No	No	Note 1
PCBS-ST17-8/29/07	AK10858	North Face - West end at corner (scaffolding level)	8/29/07	7.12	PCBs	EPA Method TO-10A/EPA 8082	Northeast	8/31/07	0.0743 J	No	No	Note 1
PCBS-ST1-8/30/07	AK11262	Southwest Area (sidewalk bridge level)	8/30/07	7.24	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0967	No	No	
PCBS-ST2-8/30/07	AK11263	Southeast Area (sidewalk bridge level)	8/30/07	7.22	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0970	No	No	
PCBS-ST4-8/30/07	AK11264	Northwest Area (street-level)	8/30/07	7.10	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0986	No	No	
PCBS-ST5-8/30/07	AK11265	Firehouse #10 (roof level)	8/30/07	7.03	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0996	No	No	
PCBS-ST10-8/30/07	AK11266	North Side Sidewalk Bridge	8/30/07	6.88	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.102	No	No	
PCBS-ST11-8/30/07	AK11267	90 Trinity Place (roof level)	8/30/07	7.15	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0964	No	No	
PCBS-ST12-8/30/07	AK11268	110 Greenwich Street (roof level)	8/30/07	7.15	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0979	No	No	
PCBS-ST13-8/30/07	AK11269	Marriott Hotel, 38th Floor (roof level)	8/30/07	6.96	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.101	No	No	
PCBS-ST14-8/30/07	AK11270	West Face - South end at corner (scaffolding level)	8/30/07	7.17	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	0.0244 J	No	No	Note 1
PCBS-ST15-8/30/07	AK11271	South Face - East end at corner (scaffolding level)	8/30/07	7.11	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	0.0648 J	No	No	Note 1
PCBS-ST16-8/30/07	AK11272	East Face - North end at corner (scaffolding level)	8/30/07	7.24	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0967	No	No	
PCBS-ST17-8/30/07	AK11273	North Face - West end at corner (scaffolding level)	8/30/07	7.26	PCBs	EPA Method TO-10A/EPA 8082	Northeast	9/6/07	< 0.0964	No	No	

Note:

- J - Value is estimated. The values are below the reporting limit for the total Aroclor value and samples exhibit altered PCB patterns.
- PCB sampling was conducted on a more frequent basis from August 18 through 30, 2007 in response to a fire at 130 Liberty Street on August 18, 2007. Sampling locations designated for analysis were selected by The United States Environmental Protection Agency.
- PCB samples at Station 1 (Southwest Area [sidewalk bridge level]), Station 2 (Southeast Area [sidewalk bridge level]), and Station 4 (Northwest Area [street-level]) on August 18 and 20 through 22, 2007 were not collected. The stations were not accessible on account of a fire at 130 Liberty Street that caused unsafe conditions in the vicinity of the stations.
- PCB sample at Station 11 (90 Trinity Place [roof level]) on August 18, 2007 was not collected on account of no building access.
- Due to flow rate RPD exceedance (47.8%) for PCBs at Station 2 (Southeast Area [sidewalk bridge level]) on August 19, 2007, the sample volume and subsequent sample result are estimated.
- PCB samples at Station 5 (Firehouse #10 [roof level]), Station 12 (110 Greenwich Street [roof level]), and Station 13 (Marriott Hotel, 38th Floor [roof level]) on August 19, 2007 were not collected due to lack of media.
- PCB samples at Station 14 (West Face - South end at corner [scaffolding level]), Station 15 (South Face - East end at corner [scaffolding level]), Station 16 (East Face - North end at corner [scaffolding level]) and Station 17 (North Face - West end at corner [scaffolding level]) on August 18 through 23, 2007 were not collected. The stations were not accessible on account of a fire at 130 Liberty Street.
- PCB samples at Station 1 (Southwest Area [sidewalk bridge level]) and Station 2 (Southeast Area [sidewalk bridge level]) on August 23, 2007 were not collected. The stations were not accessible on account of a fire at 130 Liberty Street that caused unsafe conditions in the vicinity of the stations.

TRC Field Sample No.	Sample No.	Sampling Location	Collection Start Date	Sample Volume (m <sup>3</sup> )	Analyte	Analytical Method	Lab	Lab Sample Receipt Date	Total PCBs Concentration (ug/m3)	Exceeds Target Air Quality Levels	Exceeds EPA Site Specific Trigger Levels	Comments
Target Air Quality Levels									0.12			
EPA Site Specific Trigger Levels									12			

9. PAH sample at Station 15 [South Face - East end at corner [scaffolding level]] on August 28, 2007 was not collected. The station was not accessible on account of a fire at 130 Liberty Street that caused unsafe conditions in the vicinity of the station.